

09/895, 945.

Docket No. 99-134R1  
PATENT

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to: Mail Stop: Decision and Certificate of Correction Branch of the Patent Issue Division, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on 2-22-05.

By: Suzanne Shadley

Suzanne Shadley

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 6,838,052 B2  
Issued: January 4, 2005  
Name of Patentee: Symyx Technologies, Inc.  
Title of Invention: In-Situ Injection And Materials Screening Device

ATTENTION: Decision and Certificate of Correction,  
Branch of the Patent Issue Division  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Certificate  
MAR 03 2005  
of Correction

TRANSMITTAL LETTER

Sir:

Transmitted herewith (check all that apply):

- |  |   |
|--|---|
| <input type="checkbox"/> Preliminary Amendment             | <input type="checkbox"/> Supplemental Information Disclosure Statement    |
| <input type="checkbox"/> Response/Amendment                | <input type="checkbox"/> Petition Under 37 CFR 1.97(d)(2)                 |
| <input type="checkbox"/> Response/Amendment After Final    | <input type="checkbox"/> Formal Drawings                                  |
| <input type="checkbox"/> Supplemental Amendment            | <input type="checkbox"/> Declaration Under 37 CFR 1.131                   |
| <input type="checkbox"/> Affidavits/Declarations           | <input type="checkbox"/> Declaration Under 37 CFR 1.132                   |
| <input type="checkbox"/> Declaration and Power of Attorney | <input type="checkbox"/> Terminal Disclaimer                              |
| <input type="checkbox"/> Supplemental Declaration          | <input type="checkbox"/> Small Entity Statement                           |
| <input type="checkbox"/> Associate Power of Attorney       | <input type="checkbox"/> Request for Refund                               |
| <input type="checkbox"/> Change of Correspondence Address  | <input type="checkbox"/> Appeal   |
| <input type="checkbox"/> Associate Power of Attorney       | <input type="checkbox"/> Petition   |
| <input type="checkbox"/> Response to Missing Parts         | <input checked="" type="checkbox"/> Request For Certificate of Correction |

to be filed in the above-identified patent application.


☒ No fee is required.

☒ The Commissioner is hereby authorized to charge payment of any additional filing fees required under 37 C.F.R. § 1.16, in connection with the paper(s) transmitted herewith, or credit any overpayment of same, to Deposit Account No. 50-0496.

A duplicate copy of this Transmittal Letter is transmitted herewith.

MAR 04 2005

Respectfully submitted,



Paul A. Stone  
Reg. No. 38,628  
Attorney for Applicant(s)

Date: Feb 21, 2005

Symyx Technologies, Inc.  
3100 Central Expressway  
Santa Clara, California 95051  
Tel.: (408) 764-2000  
Fax: (408) 773-4029

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to: Mail Stop: Decision and Certificate of Correction Branch of the Patent Issue Division, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on 2-22-05.

By: Suzanne Shadley

Suzanne Shadley

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 6,838,052 B2  
Issued: January 4, 2005  
Name of Patentee: Symyx Technologies, Inc.  
Title of Invention: In-Situ Injection And Materials Screening Device

ATTENTION: Decision and Certificate of Correction,  
Branch of the Patent Issue Division  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

TRANSMITTAL LETTER

Sir:

Transmitted herewith (check all that apply):

- |  |   |
|--|---|
| <input type="checkbox"/> Preliminary Amendment             | <input type="checkbox"/> Supplemental Information Disclosure Statement    |
| <input type="checkbox"/> Response/Amendment                | <input type="checkbox"/> Petition Under 37 CFR 1.97(d)(2)                 |
| <input type="checkbox"/> Response/Amendment After Final    | <input type="checkbox"/> Formal Drawings                                  |
| <input type="checkbox"/> Supplemental Amendment            | <input type="checkbox"/> Declaration Under 37 CFR 1.131                   |
| <input type="checkbox"/> Affidavits/Declarations           | <input type="checkbox"/> Declaration Under 37 CFR 1.132                   |
| <input type="checkbox"/> Declaration and Power of Attorney | <input type="checkbox"/> Terminal Disclaimer                              |
| <input type="checkbox"/> Supplemental Declaration          | <input type="checkbox"/> Small Entity Statement                           |
| <input type="checkbox"/> Associate Power of Attorney       | <input type="checkbox"/> Request for Refund                               |
| <input type="checkbox"/> Change of Correspondence Address  | <input type="checkbox"/> Appeal   |
| <input type="checkbox"/> Associate Power of Attorney       | <input type="checkbox"/> Petition   |
| <input type="checkbox"/> Response to Missing Parts         | <input checked="" type="checkbox"/> Request For Certificate of Correction |

to be filed in the above-identified patent application.

☒ No fee is required.

☒ The Commissioner is hereby authorized to charge payment of any additional filing fees required under 37 C.F.R. § 1.16, in connection with the paper(s) transmitted herewith, or credit any overpayment of same, to Deposit Account No. 50-0496.


A duplicate copy of this Transmittal Letter is transmitted herewith.

MAR 04 2005

Date: Feb 21, 2005

Symyx Technologies, Inc.  
3100 Central Expressway  
Santa Clara, California 95051  
Tel.: (408) 764-2000  
Fax: (408) 773-4029

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Paul A. Stone". The signature is fluid and cursive, with the first name "Paul" being the most prominent.

Paul A. Stone  
Reg. No. 38,628  
Attorney for Applicant(s)

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to: Mail Stop: Decision and Certificate of Correction Branch of the Patent Issue Division, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on 2-22-05.

By: Suzanne Shadley

Suzanne Shadley

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 6,838,052 B2  
Issued: January 4, 2005  
Name of Patentee: Symyx Technologies, Inc.  
Title of Invention: In-Situ Injection And Materials Screening Device

**ATTENTION: Decision and Certificate of Correction,  
Branch of the Patent Issue Division  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450**

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT  
FOR OFFICE'S MISTAKE**

Dear Sir:

It is noted that several errors appear in this patent of a minor nature or character, as more fully described on Form PTO/SB/44 enclosed. The following errors by the U.S. Patent Office:

Col. 29, line 13, insert --first-- between "a" and "data"

Col. 30, line 61, delete "the step" and insert --a step--

Corrections thereof do not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested.

Attached hereto, in duplicate, is Form PTO/SB/44, with at least one copy being suitable for printing. The exact page and line numbers where the error occurs in the application file is listed on Form PTO/SB/44.

MAR 04 2005


Please send the Certificate of Correction to:

Paul A. Stone  
Symyx Technologies, Inc.  
3100 Central Expressway  
Santa Clara, CA 95051

Patentee believes that no fee is required for these corrections. If a fee is required, the Commissioner is authorized to deduct such fee from Deposit Account 50-0496.

Date: \_\_\_\_\_

Feb 21, 2005



Paul A. Stone  
Registration No. 38,628  
Symyx Technologies, Inc.  
3100 Central Expressway  
Santa Clara, CA 95051  
408-764-2000  
Customer No. 22905

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO: 6,838,052 *B2*  
DATED: January 4, 2005  
INVENTOR(S) : Frank et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Col. 29, line 13, insert --first-- between "a" and "data"  
Col. 30, line 61, delete "the step" and insert --a step--

MAILING ADDRESS OF SENDER:

Symyx Technologies, Inc.  
Attn: Legal Dept.  
3100 Central Expressway  
Santa Clara, CA 95051

PATENT NO. 6,838,052  
No. of additional copies 1

MAR 04 2005

Approved for use through 6/30/99. OMB 0651-0033 Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. (Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO: 6,838,052 *B2*  
DATED: January 4, 2005  
INVENTOR(S) : Frank et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Col. 29, line 13, insert --first-- between "a" and "data"  
Col. 30, line 61, delete "the step" and insert --a step--

MAILING ADDRESS OF SENDER:

Symyx Technologies, Inc.  
Attn: Legal Dept.  
3100 Central Expressway  
Santa Clara, CA 95051

PATENT NO. 6,838,052  
No. of additional copies 1